AUTHOR INDEX TO VOLUME 44 (1992)

Akutsu, T., see Kobayashi, Y. (44) 113

Albani, J.
Motions studies of the human α_1-acid glycoprotein (orosomucoid) followed by red-edge excitation spectra and polarization of 2-*p*-toluidinylnaphthalene-6-sulfonate (TNS) and of tryptophan residues (44) 129

Aradi, F.
Comparative ^{1}H NMR chemical shift study on the stacking interaction of pyrimidine with purine and 6-methylpurine (44) 143

Bhattacharyya, M., Ghosh, A.N., Chaudhuri, U. and Poddar, R.K.
Chlorpromazine induced aggregation of normal human hemoglobin. Electron microscopic evidence (44) 209

Bismuto, E., Sirangelo, I. and Irace, G.
Fluorescence lifetime distribution of 1,8-anilinonaphthalenesulfonate (ANS) in reversed micelles detected by frequency domain fluorometry (44) 83

Bitter-Suermann, D., see Federwisch, M. (44) 151

Bordin, F., Cacchione, S., Savino, M. and Tufillaro, A.
Different superstructural features of the complexes between spermine and the light responsive elements of the two pea genes rbcS-3A and rbcS-3.6. Gel electrophoresis and circular dichroism studies (44) 99

Brand, L., see Chauvin, F. (44) 163

Cacchione, S., see Bordin, F. (44) 99

Casaretto, M., see Federwisch, M. (44) 151

Chaudhuri, U., see Bhattacharyya, M. (44) 209

Chauvin, F., Toptygin, D., Roseman, S. and Brand, L.
Time-resolved intrinsic fluorescence of Enzyme I. The monomer/dimer transition (44) 163

Cun-da Wang, , see Wen-Ge Han, (44) 29

Denisov, I.G.
Thermal stability of proteins in intermolecular complexes (44) 71

Dougherty, G. and Pasternack, R.F.
Base pair selectivity in the binding of copper (II) tetrakis (4-*N*-methylpyridyl)porphine to polynucleotides under closely packed conditions (44) 11

Eriksson, S., see Gräslund, A. (44) 21

Federwisch, M., Casaretto, M., Gerardy-Schahn, R., Bitter-Suermann, D. and Wollmer, A.
Enhanced biopotency of synthetic C3a analogues by membrane binding. A fluorescence anisotropy decay study (44) 151

Gakamsky, D.M., Goldin, A.A., Petrov, E.P. and Rubinov, A.N.
Fluorescence decay time distribution for polar dye solutions with time-dependent fluorescent shift (44) 47

Gerardy-Schahn, R., see Federwisch, M. (44) 151

Ghosh, A.N., see Bhattacharyya, M. (44) 209

Goldin, A.A., see Gakamsky, D.M. (44) 47

Gräslund, A., Kim, S.K., Eriksson, S., Nordén, B. and Jernström, B.
Dynamics of benzo[a]pyrene diol epoxide adducts in poly(dG-dC)·(dG-dC) studied by synchrotron excited fluorescence polarization anisotropy decay (44) 21

Heffer-Lauc, M., see Lauc, G. (44) 79

Imanishi, Y., see Taku, K. (44) 187

Irace, G., see Bismuto, E. (44) 83

Jernström, B., see Gräslund, A. (44) 21

Jordanova, N., see Taneva, S.G. (44) 91

Kim, S.K., see Gräslund, A. (44) 21

Kimura, S., see Taku, K. (44) 187

Kobayashi, Y., Sasabe, H., Akutsu, T. and Saitô, N.
Mechanism of protein folding. IV. Forming and breaking of disulfide bonds in bovine pancreatic tripsin inhibitor (44) 113

Lauc, G. and Heffer-Lauc, M.
Reply to Wada's comments on the entropies of coding and noncoding sequences of DNA and proteins (44) 79

Maeda, H., see Nishiyama, H. (44) 199

Nishiyama, H. and Maeda, H.
Reduced lysozyme in solution and its interaction with non-ionic surfactants (44) 199

Nordén, B., see Gräslund, A. (44) 21

Pasternack, R.F., see Dougherty, G. (44) 11

Peacock-López, E., see Swartz, M.W. (44) 1

Petkanchin, I.B., see Taneva, S.G. (44) 91

Petrov, E.P., see Gakamsky, D.M. (44) 47

Poddar, R.K., see Bhattacharyya, M. (44) 209

Ralston, G.B.
The self-association of human spectrin at high concentration (44) 175

Roseman, S., see Chauvin, F. (44) 163

Rubinov, A.N., see Gakamsky, D.M. (44) 47

Saitô, N., see Kobayashi, Y. (44) 113
Sasabe, H., see Kobayashi, Y. (44) 113
Sasaki, H., see Taku, K. (44) 187
Savino, M., see Bordin, F. (44) 99
Shinoda, T.
On the base sequences of the promoters in transcription initiation (44) 61
Sirangelo, I., see Bismuto, E. (44) 83
Slęzak, A. and Turczyński, B.
Generalization of the Spiegler–Kedem–Katchalsky frictional model equations of the transmembrane transport for multicomponent non-electrolyte solutions (44) 139
Swartz, M.W. and Peacock-López, E.
A theoretical model of LDL-receptor trapping on a spherical cell (44) 1
Taku, K., Sasaki, H., Kimura, S. and Imanishi, Y.
Effects of lipid structure on energy transfer from carbazolyl to anthryl groups in a lipid bilayer (44) 187
Taneva, S.G., Jordanova, N. and Petkanchin, I.B.
Electro-optical investigation of lipid-depleted purple membranes (44) 91
Toptygin, D., see Chauvin, F. (44) 163
Tufillaro, A., see Bordin, F. (44) 99
Turczyński, B., see Slęzak, A. (44) 139

Wada, A.
Comments on the entropies of genetic codes of DNA and proteins (44) 77
Wen-Ge Han and Cun-da Wang,
The vibrational normal modes of β-barrels in an IgG antibody molecule (44) 29
Wollmer, A., see Federwisch, M. (44) 151

SUBJECT INDEX TO VOLUME 44 (1992)

Anilinonaphthalenesulfonate emission decay
Reversed micelles; Fluorescence lifetime distribution; Frequency domain fluorometry (Bismuto, E. (44) 83)

Anisotropy decay
Benzo[a]pyrene diol epoxide; Poly(dG-dC)·(dG-dC); Synchrotron radiation; Fluorescence lifetimes (Gräslund, A. (44) 21)

Anthryl/carbazolyl bilayer membrane
Energy transfer; Fluorescence spectroscopy (Taku, K. (44) 187)

Bacteriorhodopsin
Electric light scattering; Delipidated purple membranes; Permanent dipole moment; Electric polarizability; Electrophoretic mobility (Taneva, S.G. (44) 91)

Base sequences of promoters
Mechanism of transcription initiation; *Escherichia coli* promoters (Shinoda, T. (44) 61)

β-barrel
Immunoglobulin G antibody molecule; Quasi-continuity model; Group D_{7h} symmetry species; Raman and infrared active vibrational normal modes (Wen-Ge Han, (44) 29)

Benzo[a]pyrene diol epoxide
Poly(dG-dC)·(dG-dC); Synchrotron radiation; Fluorescence lifetimes; Anisotropy decay (Gräslund, A. (44) 21)

Binding isotherm
Reduced lysozyme; Non-ionic surfactants; Equilibrium dialysis; Osmotic pressure; Irreversible aggregation (Nishiyama, H. (44) 199)

Binding selectivity
DNA intercalation; Porphyrins; Electron paramagnetic resonance; Close packing (Dougherty, G. (44) 11)

Biopotency enhancement by membrane binding
C3a analogues; Phospholipid vesicles; Fmoc as membrane anchor and fluorophore; Fluorescence anisotropy decay for monitoring binding (Federwisch, M. (44) 151)

Bovine pancreatic tripsin inhibitor
Creighton's renaturation experiment; Disulfide bond; Intermediate state; Island model (Kobayashi, Y. (44) 113)

C3a analogues
Phospholipid vesicles; Biopotency enhancement by membrane binding; Fmoc as membrane anchor and fluorophore; Fluorescence anisotropy decay for monitoring binding (Federwisch, M. (44) 151)

Chlorpromazine
Hemoglobin; Induced aggregation (Bhattacharyya, M. (44) 209)

Close packing
DNA intercalation; Porphyrins; Electron paramagnetic resonance; Binding selectivity (Dougherty, G. (44) 11)

Creighton's renaturation experiment
Bovine pancreatic tripsin inhibitor; Disulfide bond; Intermediate state; Island model (Kobayashi, Y. (44) 113)

Decay time distribution
Time-dependent fluorescent shift; Fluorescent probes (Gakamsky, D.M. (44) 47)

Delipidated purple membranes
Electric light scattering; Bacteriorhodopsin; Permanent dipole moment; Electric polarizability; Electrophoretic mobility (Taneva, S.G. (44) 91)

Dipole relaxation
Tryptophan residues dynamics; Orosomucoid; Protein–fluorophore probe; Polarization studies (Albani, J. (44) 129)

Disulfide bond
Bovine pancreatic tripsin inhibitor; Creighton's renaturation experiment; Intermediate state; Island model (Kobayashi, Y. (44) 113)

DNA intercalation
Porphyrins; Electron paramagnetic resonance; Binding selectivity; Close packing (Dougherty, G. (44) 11)

DNA–spermine complexes circular dichroism
DNA superstructures; DNA–spermine complexes electrophoretic mobilities; rbcS genes; Light responsive elements (Bordin, F. (44) 99)

DNA–spermine complexes electrophoretic mobilities
DNA superstructures; DNA–spermine complexes circular dichroism; rbcS genes; Light responsive elements (Bordin, F. (44) 99)

DNA superstructures
DNA–spermine complexes circular dichroism; DNA–spermine complexes electrophoretic mobilities; rbcS genes; Light responsive elements (Bordin, F. (44) 99)

Electric light scattering
Bacteriorhodopsin; Delipidated purple membranes; Permanent dipole moment; Electric polarizability; Electrophoretic mobility (Taneva, S.G. (44) 91)

Electric polarizability
Electric light scattering; Bacteriorhodopsin; Delipidated purple membranes; Permanent dipole moment; Electrophoretic mobility (Taneva, S.G. (44) 91)

Electron paramagnetic resonance
DNA intercalation; Porphyrins; Binding selectivity; Close packing (Dougherty, G. (44) 11)

Electrophoretic mobility
Electric light scattering; Bacteriorhodopsin; Delipidated purple membranes; Permanent dipole moment; Electric polarizability (Taneva, S.G. (44) 91)

Energy transfer
Anthryl/carbazolyl bilayer membrane; Fluorescence spectroscopy (Taku, K. (44) 187)

Equilibrium dialysis
Reduced lysozyme; Non-ionic surfactants; Binding isotherm; Osmotic pressure; Irreversible aggregation (Nishiyama, H. (44) 199)

***Escherichia coli* promoters**
Mechanism of transcription initiation; Base sequences of promoters (Shinoda, T. (44) 61)

Fibroblasts
LDL-receptor complexes; Keizer's theory (Swartz, M.W. (44) 1)

Fluorescence anisotropy decay for monitoring binding
C3a analogues; Phospholipid vesicles; Biopotency enhancement by membrane binding; Fmoc as membrane anchor and fluorophore (Federwisch, M. (44) 151)

Fluorescence lifetime distribution
Reversed micelles; Frequency domain fluorometry; Anilinonaphthalenesulfonate emission decay (Bismuto, E. (44) 83)

Fluorescence lifetimes
Benzo[a]pyrene diol epoxide; Poly(dG-dC)·(dG-dC); Synchrotron radiation; Anisotropy decay (Gräslund, A. (44) 21)

Fluorescence spectroscopy
Anthryl/carbazolyl bilayer membrane; Energy transfer (Taku, K. (44) 187)

Fluorescent probes
Decay time distribution; Time-dependent fluorescent shift (Gakamsky, D.M. (44) 47)

Fmoc as membrane anchor and fluorophore
C3a analogues; Phospholipid vesicles; Biopotency enhancement by membrane binding; Fluorescence anisotropy decay for monitoring binding (Federwisch, M. (44) 151)

Frequency domain fluorometry
Reversed micelles; Fluorescence lifetime distribution; Anilinonaphthalenesulfonate emission decay (Bismuto, E. (44) 83)

Group D_{7h} symmetry species
Immunoglobulin G antibody molecule; β-barrel; Quasi-continuity model; Raman and infrared active vibrational normal modes (Wen-Ge Han, (44) 29)

Hemoglobin
Chlorpromazine; Induced aggregation (Bhattacharyya, M. (44) 209)

Hetero-association
^{1}H NMR chemical shift; Stacking interaction; Pyrimidine–purine cross-interaction; 6-Methylpurine (Aradi, F. (44) 143)

^{1}H NMR chemical shift
Stacking interaction; Hetero-association; Pyrimidine–purine cross-interaction; 6-Methylpurine (Aradi, F. (44) 143)

Immunoglobulin G antibody molecule
β-barrel; Quasi-continuity model; Group D_{7h} symmetry species; Raman and infrared active vibrational normal modes (Wen-Ge Han, (44) 29)

Induced aggregation
Chlorpromazine; Hemoglobin (Bhattacharyya, M. (44) 209)

Intermediate state
Bovine pancreatic tripsin inhibitor; Creighton's renaturation experiment; Disulfide bond; Island model (Kobayashi, Y. (44) 113)

Irreversible aggregation
Reduced lysozyme; Non-ionic surfactants; Binding isotherm; Equilibrium dialysis; Osmotic pressure (Nishiyama, H. (44) 199)

Irreversible denaturation
Protein unfolding; Thermal stability; Ligand binding (Denisov, I.G. (44) 71)

Island model
Bovine pancreatic tripsin inhibitor; Creighton's renaturation experiment; Disulfide bond; Intermediate state (Kobayashi, Y. (44) 113)

Keizer's theory
LDL-receptor complexes; Fibroblasts (Swartz, M.W. (44) 1)

LDL-receptor complexes
Fibroblasts; Keizer's theory (Swartz, M.W. (44) 1)

Ligand binding
Protein unfolding; Irreversible denaturation; Thermal stability (Denisov, I.G. (44) 71)

Light responsive elements
DNA superstructures; DNA–spermine complexes circular dichroism; DNA–spermine complexes electrophoretic mobilities; rbcS genes (Bordin, F. (44) 99)

Mechanism of transcription initiation
Base sequences of promoters; *Escherichia coli* promoters (Shinoda, T. (44) 61)

6-Methylpurine
^{1}H NMR chemical shift; Stacking interaction; Hetero-association; Pyrimidine–purine cross-interaction (Aradi, F. (44) 143)

Monomer/dimer equilibrium
Phosphotransferase system enzyme I; Time-resolved fluorescence (Chauvin, F. (44) 163)

Multicomponent non-electrolyte systems
Transmembrane transport; Spiegler–Kedem–Katchalsky friction model (Ślęzak, A. (44) 139)

Non-ideality
Spectrin; Oligomers; Sedimentation equilibrium; Ultracentrifuge (Ralston, G.B. (44) 175)

Non-ionic surfactants
Reduced lysozyme; Binding isotherm; Equilibrium dialysis; Osmotic pressure; Irreversible aggregation (Nishiyama, H. (44) 199)

Oligomers
Spectrin; Non-ideality; Sedimentation equilibrium; Ultracentrifuge (Ralston, G.B. (44) 175)

Orosomucoid
Tryptophan residues dynamics; Protein–fluorophore probe; Polarization studies; Dipole relaxation (Albani, J. (44) 129)

Osmotic pressure
Reduced lysozyme; Non-ionic surfactants; Binding isotherm; Equilibrium dialysis; Irreversible aggregation (Nishiyama, H. (44) 199)

Permanent dipole moment
Electric light scattering; Bacteriorhodopsin; Delipidated purple membranes; Electric polarizability; Electrophoretic mobility (Taneva, S.G. (44) 91)

Phospholipid vesicles
C3a analogues; Biopotency enhancement by membrane binding; Fmoc as membrane anchor and fluorophore; Fluorescence anisotropy decay for monitoring binding (Federwisch, M. (44) 151)

Phosphotransferase system enzyme I
Time-resolved fluorescence; Monomer/dimer equilibrium (Chauvin, F. (44) 163)

Polarization studies
Tryptophan residues dynamics; Orosomucoid; Protein–fluorophore probe; Dipole relaxation (Albani, J. (44) 129)

Poly(dG-dC)·(dG-dC)
Benzo[a]pyrene diol epoxide; Synchrotron radiation; Fluorescence lifetimes; Anisotropy decay (Gräslund, A. (44) 21)

Porphyrins
DNA intercalation; Electron paramagnetic resonance; Binding selectivity; Close packing (Dougherty, G. (44) 11)

Protein–fluorophore probe
Tryptophan residues dynamics; Orosomucoid; Polarization studies; Dipole relaxation (Albani, J. (44) 129)

Protein unfolding
Irreversible denaturation; Thermal stability; Ligand binding (Denisov, I.G. (44) 71)

Pyrimidine–purine cross-interaction
^{1}H NMR chemical shift; Stacking interaction; Hetero-association; 6-Methylpurine (Aradi, F. (44) 143)

Quasi-continuity model
Immunoglobulin G antibody molecule; β-barrel; Group D_{7h} symmetry species; Raman and infrared active vibrational normal modes (Wen-Ge Han, (44) 29)

Raman and infrared active vibrational normal modes
Immunoglobulin G antibody molecule; β-barrel; Quasi-continuity model; Group D_{7h} symmetry species (Wen-Ge Han, (44) 29)

Reduced lysozyme
Non-ionic surfactants; Binding isotherm; Equilibrium dialysis; Osmotic pressure; Irreversible aggregation (Nishiyama, H. (44) 199)

Reversed micelles
Fluorescence lifetime distribution; Frequency domain fluorometry; Anilinonaphthalenesulfonate emission decay (Bismuto, E. (44) 83)

Sedimentation equilibrium
Spectrin; Oligomers; Non-ideality; Ultracentrifuge (Ralston, G.B. (44) 175)

rbcS genes
DNA superstructures; DNA–spermine complexes circular dichroism; DNA–spermine complexes electrophoretic mobilities; Light responsive elements (Bordin, F. (44) 99)

Spectrin
Oligomers; Non-ideality; Sedimentation equilibrium; Ultracentrifuge (Ralston, G.B. (44) 175)

Spiegler–Kedem–Katchalsky friction model
Transmembrane transport; Multicomponent non-electrolyte systems (Ślęzak, A. (44) 139)

Stacking interaction
^{1}H NMR chemical shift; Hetero-association; Pyrimidine–purine cross-interaction; 6-Methylpurine (Aradi, F. (44) 143)

Synchrotron radiation
Benzo[a]pyrene diol epoxide; Poly(dG-dC)·(dG-dC); Fluorescence lifetimes; Anisotropy decay (Gräslund, A. (44) 21)

Thermal stability
Protein unfolding; Irreversible denaturation; Ligand binding (Denisov, I.G. (44) 71)

Time-dependent fluorescent shift
Decay time distribution; Fluorescent probes (Gakamsky, D.M. (44) 47)

Time-resolved fluorescence
Phosphotransferase system enzyme I; Monomer/dimer equilibrium (Chauvin, F. (44) 163)

Transmembrane transport
Spiegler–Kedem–Katchalsky friction model; Multicomponent non-electrolyte systems (Ślęzak, A. (44) 139)

Tryptophan residues dynamics
Orosomucoid; Protein–fluorophore probe; Polarization studies; Dipole relaxation (Albani, J. (44) 129)

Ultracentrifuge
Spectrin; Oligomers; Non-ideality; Sedimentation equilibrium (Ralston, G.B. (44) 175)